

Psych CE

Exploring and Preventing Youth Suicide

1. Which of the following is not a risk factor for youth suicide?

- A. Mental Disorder
 - B. Substance Use
 - C. Excessive Gaming
 - D. Cyberbullying
-

2. Which of the following is not a protective factor for youth suicide?

- A. Supportive Family Relationships
 - B. Positive School Experiences
 - C. Problem-Solving Skills
 - D. Identifying as LGBTQ+ Youth
-

3. Which of the following is not a warning sign for youth suicide?

- A. Feeling hopeless
 - B. Increased sports involvement
 - C. Increased alcohol use
 - D. Increase sleep
-

4. What is the most effective evidence-based psychotherapy treatment?

- A. CBT
 - B. MST
 - C. FFT
 - D. IP
-

5. What question on the Columbia Protocol may cause you to call 911 if the answer is yes?

- A. Have you done anything, started to do anything, or prepared to do anything to end your life?
 - B. Have you wished you were dead or wished you could go to sleep and not wake up?
 - C. Have you actually had any thoughts about killing yourself?
 - D. Have you thought of how you might do this?
-

6. Which of the following areas would not be covered in a typical safety plan?

- A. Recognizing warning signs of suicide risk in oneself.

- B. Employing internal coping strategies.
 - C. Contacting family members or friends who may.
 - D. Increasing the risk of access to and use of lethal means.
-

7. Why is Care Coordination important?

- A. Case managers need work to do.
 - B. The period following hospital discharge is associated with highest risk for suicide.
 - C. Family members should know the patient's situation.
 - D. Suicidal youth want attention.
-

8. Parents and peers can help a youth experiencing suicidal thoughts by doing which of the following?

- A. Listening
 - B. Interrupting
 - C. Panicking
 - D. Offering advice
-

9. Non-Suicidal Self-injury includes all of these except for which of the following?

- A. Digging at scabs
 - B. Burning
 - C. Flouring
 - D. Erasing
-

10. Which of the following is NOT a reason for youth self-harm?

- A. A cry for help
 - B. Trying to feel something
 - C. Anxiety
 - D. For fun
-